



# I ADHESIVE TAPES I



From standard to technical products, our range of adhesives is designed to meet most requirements. There is a product for every purpose and your advisor will help you find it. We can also personalise your adhesives, which is an economical way of securing your packages.

An adhesive tape, printed with your business logo, for example, provides real protection and security for your products in transit.

We can also help you find the automatic or semi-automatic application equipment that best meets your requirements: it will save you money, improve your productivity and enhance the appearance of your products.

- SIAT machines 36 / 37
- Printed adhesive tape 38
- Plain tape, printed tape, technical tape 39
- Dispensers and staplers 39

## ► SIAT Carton sealers

### SK2 MANUAL ADJUSTMENT MONOFORMAT SEALER



#### FORTHE FOLLOWING SIZE CARTONS

Minimum length: 150 mm  
 Width: 140-500 mm.  
 Height: 110-500 mm.

Easy to operate, accessible controls for simple and rapid adjustments. Reliable and sturdy build, requires little maintenance (2 lubrication heads to be greased each trimester). Quality design and manufacture mean guaranteed performance: quick flow of cardboard boxes is ensured by the double top and bottom drive belt. Two adhesive tape applicators perform the perfect box closure.

#### MACHINE DIMENSIONS

Length: 1,080 mm.  
 Width: 740 mm.  
 Height: 1,265-1,970 mm.

#### SPECIFICATIONS OF ADHESIVE TAPES

Outside diameter: 410 mm max.  
 Tape length: 50 mm.  
 Core diameter: 76 mm.

#### TAPE TYPES

- PVC
- Polypropylene

### SR4 ADJUSTABLE RANDOM SIZES SEALER



#### FORTHE FOLLOWING SIZE CARTONS

Minimum Length: 150 mm.  
 Width: 140-500 mm.  
 Height: 110-500 mm.

Automatically recognises the sizes of the cartons to be sealed and instantly and automatically adjusts to them. All the operator needs to do is make sure the cartons are positioned correctly when placed in the machine. Pneumatic system is quick and simple to control. Reliable, robust, high quality machine, with an exceptionally long lifespan. Minimal maintenance required (2 lubricator heads to be greased each trimester).

#### MACHINE DIMENSIONS

Length: 1,390 mm.  
 Width: 740 mm.  
 Height: 1,238-1,955 mm

#### ADHESIVE TAPE SPECIFICATIONS


Outside diameter: 410 mm max.  
 Tape length: standard 50 mm; on request: 75 mm.  
 Core diameter: 76 mm.

#### TAPE TYPES

- PVC
- Polypropylene



## S8 MANUALLY ADJUSTABLE COMPACT CARTON SEALER



### A COMPACT MACHINE: HEIGHT FROM FLOOR 0.77 M2, FOR SEALING CARTONS MEASURING:

Minimum length: 150 mm.  
Width: 120-500 mm.  
Height: 120-500 mm.

An easy to use machine - simple and quick to adjust since controls are easily accessible.  
Reliable and sturdy, requiring little maintenance (2 lubricator heads to be greased every trimester).  
A compact, high performance machine due to its double-sided motorised drive belts. Two tape applicators guarantee perfect carton closure.

### DIMENSIONS DE LA MACHINE

Length: 960 mm.  
Width: 900 mm.  
Height: 1,385-1925 mm.

### TAPE SPECIFICATIONS

Outside diameter: 410 mm max.  
Tape length: 50 mm.  
Core width: 76 mm.

### TAPE TYPES

- PVC
- Polypropylene

## SM44 ADJUSTABLE RANDOM SIZES SEALER WITH TOP FLAP CLOSURE



### FOR AUTOMATIC SEALING OF MULTIPLE CARTON SIZES (RANDOM SIZES)

Length: 200-600 mm.  
Width: 150-500 mm.  
Height: 140-500 mm.

The SM44 requires no intervention once set up.  
An automatic programme runs all the functions: carton feeder, correct, central positioning, closure of all 4 flaps, application of adhesive tape to upper and lower sides and carton exit.  
Optional breakage detector device at roller ends.  
Excellent quality machine, its build and components making it designed to last. Simple upkeep and maintenance so only a few quick checks are necessary.

### MACHINE DIMENSIONS

Length: 2,560 mm.  
Width: 1,040 mm.  
Height: 1,600-1,850 mm.

### PRODUCTION RATE

Average 6-8 cartons per minute.

### TAPE SPECIFICATIONS

Outside diameter: 410 mm max.  
Tape length: standard 50 mm; on request: 75 mm.  
Core diameter: 76 mm.

### TAPE TYPES

- PVC
- Polypropylene

## ► Clear tape - Printed tape



### Plain tape

A full range of quality products that meet the needs of the packaging market.

### PVC TAPE

- Tape thickness 33  $\mu$ .
- Natural rubber based adhesive offers easier application.
- Strong elastic properties for covering irregular shapes on cartons.
- Tough and waterproof.
- Silent unwinding.
- Largest range of shades: white, tobacco, yellow, red, blue, green, transparent.

Colours



Sizes	Quantity per case (rolls)
12 X 66	144
15 X 66	120
19 X 66	96
25 X 66	72
38 X 100	48
48 X 100	36
75 X 100	24
48 X 990	6

### POLYPROPYLENE TAPE

- Provides powerful quick-stick.
- Choice of 3 types to suit your requirements:

#### Hot Melt

Thickness of 25  $\mu$ , for manual use.  
Recommended thickness of 28  $\mu$ , for machine use.  
Rapid unwinding.

#### Solvent

Tape with natural rubber-based adhesive.  
100% recyclable, resistant to temperature variations.  
Thickness of 25  $\mu$ , for manual use.  
Recommended thickness of 28  $\mu$ , for machine use.

#### Acrylic

Tape with water activated adhesive.  
Silent dispensing. Resistant to high temperatures and ageing.  
Ecological and economical alternative to PVC.

Sizes	Quantity per case (rolls)
38 X 100	48
48 X 100	36
75 X 100	24
48 X 990	6

Colours



### Printed tape

You can personalise all standard PVC, polypropylene and cross woven filament reinforced tapes in our range. New machines with superior printing quality guarantee an excellent result.

Marking your adhesive tape is an effective way to secure your loads during transit: any accidental or intentional opening cannot be hidden since any attempt to repackage will be visible. Your tapes are also an effective and economical way to advertise your company's logo.

For further printing enquiries, please contact us.

#### PRINTING OPTIONS

	Type of adhesive tape	Print colours	Background	Width
After application of coating	PVC - Polypropylene - HM - Solvent	Available in 1-3 colours	Clear or coloured	From 19 mm to 150 mm
Before application of coating	Acrylic - Hot Melt	Available in 1-8 colours	-	From 48 mm to 150 mm




## ► Technical tapes

This range is for specific technical and industrial packaging:

Strapping, bundling, masking (painting jobs), heavy-duty packaging (to supplement plastic pallet wrap).


### CROSS WOVEN FILAMENT REINFORCED TAPE



- The most stretch-resistant tape in our range, thanks to its reinforced, tear-resistant structure.
- Recommended for heavier loads and bundling of metal items.
- Powerful adhesive.

Sizes	Quantity per case (rolls)
12 X 50	72
15 X 50	60
19 X 50	48
25 X 50	36
38 X 50	24
50 X 50	18


### REINFORCED FILAMENT TAPE



- The economical version of cross woven filament reinforced tape.
- Similar application: heavy loads and bundling of metal items.

Sizes	Quantity per case (rolls)
12 X 50	72
15 X 50	60
19 X 50	48
25 X 50	36
38 X 50	24
50 X 50	18

### MASKING TAPE



- Choice of two adhesives: Holt Melt or solvent, to suit their application.
- Semi-smooth paper with a synthetic adhesive coating.
- For painting jobs (buildings or workshops...) and assembly work.
- Highly adaptable: does not leave marks when removed.
- Practical: can be written on.

Width	Per box*
15 mm	60
19 mm	48
25 mm	36
38 mm	30
50 mm	24
75 mm	16
100 mm	12

\*Sold by the roll, length from 50 metres.

### STRAPPING TAPE



- Tear resistant adhesive pallet wrap tape
- Available in choice of 3 colours: black, brick-red and ivory.

Width	Per box*
15 mm	120
19 mm	96
50 mm	36

\*Sold by the roll, length from 66 or 100 metres.

## ► Dispensers and staplers

From pistol grip dispensers to snail dispensers, electric automatic dispensers, desktop dispensers and staplers,

Cercleurop has a wide selection of dispensers and staplers for use in the office, workshop, for packaging and wrapping, and for sealing pouches.

